

Southwest Mainline NB (LOC ID# 226630)  
116 MMcf/d (leaving 590 MMcf/d)  
5/12 – 5/29 #12361  
187 MMcf/d (leaving 519 MMcf/d) 6/1-6/8  
131 MMcf/d (leaving 575 MMcf/d) 6/9-6/16  
116 MMcf/d (leaving 590 MMcf/d) 6/17-7/6  
#12363

Marshfield/Viking (LOC ID #28873)  
190 MMcf/d (leaving 160 MMcf/d) 4/14 – 7/31  
#12291

Weyauwega Westbound (LOC ID #505618)  
107MMcf/d (leaving 109 MMcf/d) 4/14-7/31  
#12291

Janesville NNG (LOC ID #28808)  
Firm Primary Only 7/20-7/31, 8/16 - 9/7 #12263

EG Hill Northbound (LOC ID #226643)  
68 MMcf/d (leaving 147 MMcf/d) 5/27 – 6/3  
#12360

Mooreland Northbound (LOC ID #9505448)  
365MMcf/d (leaving 141 MMcf/d) 5/27 – 6/3  
#12360

Custer Northbound (LOC ID #226644)  
13MMcf/d (leaving 27 MMcf/d) 5/27 - 5/31  
#12360

Brownsville Southbound (LOC ID #1260569)  
239 MMcf/d (leaving 988 MMcf/d) 5/20 – 5/21  
#12331

Defiance WB (LOC ID #505605)  
185 MMcf/d (leaving 500 MMcf/d) 5/9 – 5/19  
#12332


Evangeline Southbound (LOC ID #505591)  
350 MMcf/d (leaving 957 MMcf/d) 5/13 – 5/20  
#12327

Slaughters/TGT Del (LOC ID #6470)  
Shut in until further notice  
#12052

Defiance Receipt (LOC ID #38224)  
Shut in 1/5 -5/31  
#12340

Pine Prairie N (LOC ID #490941 and #490940)  
Volumes will be capped at 400MMcf/d  
Pine Prairie S (LOC#766184) volumes will be capped at 400 MMCF/d until further notice  
#12319

Lake Arthur Southbound (LOC ID #505683)  
428 MMcf/d (leaving 650 MMcf/d) 5/28 – 6/9  
#12324



ANR Pipeline Company  
Outage Map  
Updated: 5/16/2025