

ANR Pipeline Southwest Area and Southwest Mainline - Maintenance Schedule (Updated 05/05/2025)

May 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (LOC #226630)				
5/5 - 5/11	Havensville ESD System Inspection	101-MMcf/d	605-MMcf/d	Medium	Medium
5/12 - 5/24	Havensville ESD System Inspection, ANR 1-100 MP 543.87 Pipeline Maintenance	116-MMcf/d	590-MMcf/d	Medium	Medium
	EG Hill Northbound (LOC #)				
5/27 - 5/31	ANR 460 ILI Buttermilk to Greensburg CS MLV 3 to MLV 1	33-MMcf/d	182-MMcf/d	Medium	Medium
	Mooreland Northbound (LOC #)				
5/27 - 5/31	ANR 460 ILI Buttermilk to Greensburg CS MLV 3 to MLV 1	32-MMcf/d	174-MMcf/d	Medium	Medium
	Custer Northbound (LOC #)				
5/27 - 5/31	ANR 460 ILI Buttermilk to Greensburg CS MLV 3 to MLV 1	6-MMcf/d	34-MMcf/d	Medium	Medium
June 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (LOC #226630)				
6/1 - 6/8	ANR 0-100 MP 357.9 Pipeline Maintenance, ANR 0-100 MP 499.8 Pipeline Maintenance, Enterprise ESD System Inspection	187-MMcf/d	519-MMcf/d	High	High
6/9 - 6/16	ANR 0-100 ILI Birmingham to New Windsor CS MLV 39 to MLV 45, ANR 0-100 MP 499.8 Pipeline Maintenance, ANR 0-100 MP 166.56 Pipeline Maintenance, ANR 0-100 MP 357.9 Pipeline Maintenance	136-MMcf/d	570-MMcf/d	High	High
6/17 - 6/30	ANR 0-100 MP 499.8 Pipeline Maintenance, ANR 0-100 MP 357.9 Pipeline Maintenance, ANR 1-100 MP 238.83 Pipeline Integrity Maintenance	116-MMcf/d	590-MMcf/d	High	High
	Red River Interconnect (LOC #185837)				
6/23 - 6/27	ANR 1-485-1001 ILI Kelton to Gageby Creek CS	125-MMcf/d	0-MMcf/d	High	High
July 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (LOC #226630)				
7/1 - 7/3	ANR 0-100 MP 357.9 Pipeline Maintenance, ANR 1-100 MP 238.83 Pipeline Integrity Maintenance	116-MMcf/d	590-MMcf/d	High	High
7/8 - 7/31	ANR 0-100 MP 300.99 Pipeline Maintenance, Alden TSA Upgrade	86-MMcf/d	620-MMcf/d	Low	Low
August 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (LOC #226630)				
8/1 - 8/31	Alden TSA Upgrade	86-MMcf/d	620-MMcf/d	Low	Low
Sep 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (LOC #226630)				
9/1 - 9/30	Alden TSA Upgrade	86-MMcf/d	620-MMcf/d	Low	Low
Oct 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (LOC #226630)				
10/1 - 10/3	Alden TSA Upgrade	86-MMcf/d	620-MMcf/d	Low	Low

Posted throughput is subject to change based on weather conditions and the condition of the pipeline.

Outage dates and impacts are based upon currently available information and are subject to change.

ANR Pipeline Wisconsin - Maintenance Schedule (Updated 05/05/2025)

Apr 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Marshfield/VGT Delivery (LOC #485885)				
4/14 - 4/30	Marshfield/Viking Interconnect Delivery	123 MMcf/d	-30 MMcf/d	High	High
	Marshfield/VGT Receipt (LOC #28873)				
4/14 - 4/30	Marshfield/Viking Interconnect Receipt	190 MMcf/d	160 MMcf/d	Low	High
	Kegonsa Interconnect (LOC #284917)				
4/30	Janesville CS and 1-201 line outage	Firm Primary Only	1 MMcf/d	Low	High
May 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Kegonsa Interconnect (LOC #284917)				
5/1 - 5/6	Janesville CS and 1-201 line outage	Firm Primary Only	1 MMcf/d	Low	High
	Janesville/NNG INT (LOC #28808)				
5/1 - 5/13	Janesville CS and ESD valve outage	Firm Primary Only	FPO	Low	High
	Marshfield/VGT Delivery (LOC #485885)				
5/1 - 5/31	Marshfield/Viking Interconnect Delivery	123 MMcf/d	0 MMcf/d	High	High
	Marshfield/VGT Receipt (LOC #28873)				
5/1 - 5/31	Marshfield/Viking Interconnect Receipt	190 MMcf/d	160 MMcf/d	Low	High
Jun 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Marshfield/VGT Delivery (LOC #485885)				
6/1 - 6/30	Marshfield/Viking Interconnect Delivery	123 MMcf/d	0 MMcf/d	High	High
	Marshfield/VGT Receipt (LOC #28873)				
6/1 - 6/30	Marshfield/Viking Interconnect Receipt	190 MMcf/d	160 MMcf/d	Low	High
Jul 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Marshfield/VGT Delivery (LOC #485885)				
7/1 - 7/31	Marshfield/Viking Interconnect Delivery	123 MMcf/d	0 MMcf/d	High	High
	Marshfield/VGT Receipt (LOC #28873)				
7/1 - 7/31	Marshfield/Viking Interconnect Receipt	190 MMcf/d	160 MMcf/d	Low	High
	Janesville/NNG INT (LOC #28808)				
7/19 - 7/31	Janesville CS and ESD valve outage	Firm Primary Only	FPO	Low	High
Aug 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Janesville/NNG INT (LOC #28808)				
8/15 - 8/31	Janesville CS Tie Ins and Purge and Pack, ESD testing	Firm Primary Only	FPO	Low	High
Sept 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Janesville/NNG INT (LOC #28808)				
9/1 - 9/7	Janesville CS Tie Ins and Purge and Pack, ESD testing	Firm Primary Only	FPO	Low	High

Posted throughput is subject to change based on weather conditions and the condition of the pipeline.
 Outage dates and impacts are based upon currently available information and are subject to change.

ANR Pipeline Storage Facilities and Michigan Leg North/South - Maintenance Schedule (Updated 05/05/2025)

May 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Bridgman Northbound (LOC #226632)				
5/1 - 5/2	ANR ILI 1-100 Hamilton CS to Woolfolk MLV 64 to MLV 67	379-MMcf/d	1243-MMcf/d	High	High
5/3	ANR ILI 1-100 Hamilton CS to Woolfolk AUD MLV 64 to MLV 67	329-MMcf/d	1293-MMcf/d	High	High
5/4 - 5/7	ANR ILI 1-100 Hamilton CS to Woolfolk EMAT MLV 64 to MLV 67	604-MMcf/d	1018-MMcf/d	High	High
5/13 - 5/14	Bridgman CS ESD System Inspection	365-MMcf/d	1258-MMcf/d	High	High
5/15 - 5/30	Bridlewood/Victory Farms Class Change MLV 63 to MLV 64A	61-MMcf/d	1561-MMcf/d	Low	Low
Jun 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Bridgman Northbound (LOC #226632)				
6/1 - 6/30	Bridlewood/Victory Farms Class Change MLV 63 to MLV 64A	61-MMcf/d	1561-MMcf/d	Low	Low
Jul 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Bridgman Northbound (LOC #226632)				
7/1 - 7/2	Bridlewood/Victory Farms Class Change MLV 63 to MLV 64A	61-MMcf/d	1561-MMcf/d	Low	Low
Aug 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	No Impactful Maintenance Scheduled				

Posted throughput is subject to change based on weather conditions and the condition of the pipeline.
 Outage dates and impacts are based upon currently available information and are subject to change.

ANR Pipeline Southeast Area, Southeast Mainline and Tie-Line - Maintenance Schedule (Updated 05/05/2025)

May 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Lake Arthur Southbound (LOC #505683)				
5/1 - 5/6	0-502 Garber Farms Class change and valve replacement	478-MMcf/d	600-MMcf/d	High	High
5/28 - 5/31	1-502 Garber Farms Class Change	428-MMcf/d	650-MMcf/d	High	High
	Evangeline Southbound (LOC #505591)				
5/13 - 5/20	Integrity Dig 0-501 MP40.19	350-MMcf/d	957-MMcf/d	High	High
	Jena Southbound (LOC #9505489)				
5/6	Jena CS Unit 109 Solar Mars Insp/Maint 4K	145-MMcf/d	1,162-MMcf/d	High	High
	Delhi Southbound (LOC #1379345)				
5/12 - 5/15	Greenville CS ESD VLV & Act Insp 1Y	211-MMcf/d	1,003-MMcf/d	High	High
	Brownsville Southbound (LOC #1260569)				
5/20 - 5/21	Brownsville CS unit 9 Solar Mars Insp/Maint BS 4K	239-MMcf/d	988-MMcf/d	High	High
	Cottage Grove Southbound (LOC #505614)				
5/28	Madisonville CS unit 10 C&M Sys Test & Insp Gas 1Y	145-MMcf/d	1,088-MMcf/d	High	High
	Defiance Westbound (LOC #505605)				
5/9 - 5/19	Integrity Dig 0-504 MP 65	185-MMcf/d	500-MMcf/d	High	High
June 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Lake Arthur Southbound (LOC #505683)				
6/1 - 6/9	1-502 Garber Farms Class Change	428-MMcf/d	650-MMcf/d	High	High
TBD (4 days)	MER CS Unit 1 C&M Sys Test & Insp Gas F 1Y, Unit 1 Solar Titan 130 Insp/Main 4K	728-MMcf/d	350-MMcf/d	High	High
	Jena Southbound (LOC #9505489)				
6/5	Jena CS Unit 108 Solar Mars Insp/Maint 4K	145-MMcf/d	1,162-MMcf/d	High	High
6/10	Jena CS ESD Sys Insp USGO 1Y-Recycle	207-MMcf/d	1,100-MMcf/d	High	High
	Delhi Southbound (LOC #1379345)				
6/17 - 6/19	Sardis CS ESD Sys Insp USGO 1Y	290-MMcf/d	924-MMcf/d	High	High
	Cottage Grove Southbound (LOC #505614)				
TBD (2 days)	Celestine CS unit 10 Solar Mars Insp/Maint Was 4K	158-MMcf/d	1,075-MMcf/d	High	High
TBD (3 days)	Celestine CS ESD Sys Insp USGO 1Y, VLV & Act Insp 1Y	270-MMcf/d	963-MMcf/d	High	High
TBD (5 days)	ILI 0-501 Ohio River to Madisonville CS	250-MMcf/d	982-MMcf/d	High	High
	Shelbyville Southbound (LOC #9505527)				
TBD (3 days)	Shelbyville CS ESD Sys Insp USGO 1Y	332-MMcf/d	709-MMcf/d	High	High
	Defiance Southbound (LOC #226637)				
TBD (3 days)	Shelbyville CS ESD Sys Insp USGO 1Y	180-MMcf/d	709-MMcf/d	High	High
	Defiance Westbound (LOC #505605)				
6/2 - 6/23	Integrity Digs 1-504 MLV 84- MLV 85 MP119.36, MLV 83 - MLV 84 MP 91.54, MP99.12, MP102.73	185-MMcf/d	500-MMcf/d	High	High
July 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Lake Arthur Southbound (LOC #505683)				
TBD (1 day)	Grand Chenier CS ESD VLV & Act Insp 1Y, Recycle VLV/Act & Positioner Ins 1Y	228-MMcf/d	850-MMcf/d	High	High
	Patterson/Trunkline Del (LOC #40317)				
TBD (3 days)	Patterson CS ESD VLV & Act Insp 1Y	94-MMcf/d	0-MMcf/d	Low	Low
	Patterson to Col Gulf (LOC #43613)				

TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	143-MMcf/d	0-MMcf/d	Low	Low
	Riverway (To Bridgeline) (LOC #42593)				
TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	250-MMcf/d	10-MMcf/d	High	High
	Shadyside/Sonat (Del) (LOC #10369)				
TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	377-MMcf/d	110-MMcf/d	High	High
	Avalon (LOC #38295)				
TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	110-MMcf/d	0-MMcf/d	Low	Low
	Shadyside/TGP (Del) (LOC #467240)				
TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	443-MMcf/d	30-MMcf/d	Low	Low
	ST Landry/FL INT (LOC #322625)				
TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	55-MMcf/d	44-MMcf/d	High	High
	Weeks ISLA/LIG PL (LOC #233620):				
TBD (3 days)	Pattterson CS ESD VLV & Act Insp 1Y	298-MMcf/d	12-MMcf/d	High	High
	Delhi Southbound (LOC #1379345)				
7/19 - 7/31	1-501 Pipe Replacement MLV 14- 16	385-MMcf/d	863-MMcf/d	High	High
	Brownsville Southbound (LOC #1260569)				
TBD (3 days)	Brownsville CS ESD Sys Inspection	239-MMcf/d	988-MMcf/d	High	High
	Cottage Grove Southbound (LOC #505614)				
7/1 - 7/2	Cottage Grove CS ESD VLV & Act Insp 1Y	296-MMcf/d	937-MMcf/d	High	High
TBD (3 days)	Madisonville CS ESD VLV & Act Insp 1Y	268-MMcf/d	965-MMcf/d	High	High
TBD (5 days)	ILI 0-501 Ohio River to Madisonville CS	250-MMcf/d	982-MMcf/d	High	High
	Defiance Southbound (LOC #226637)				
7/14 - 7/22	0-501 Defiance CS to Portland CS, MLV 63 to MLV 69	300-MMcf/d	589-MMcf/d	High	High
	Defiance Westbound (LOC #505605)				
7/7 - 7/31	Integrity Digs 1-504 MLV 84- MLV 85 MP119.36, MLV 83 - MLV 84 MP 91.54, MP99.12, MP102.73	185-MMcf/d	500-MMcf/d	High	High
Aug 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Evangeline Southbound (LOC #505591)				
TBD (1 day)	Turkey Creek CS Unit A01 Solar Mars Insp/Main 8K2Y	120-MMcf/d	1,217-MMcf/d	High	High
	Delhi Southbound (LOC #1379345)				
8/19 - 8/31	0-501 Pipe Replacement MLV 14- 16	385-MMcf/d	863-MMcf/d	High	High
	Defiance Westbound (LOC #505605)				
8/1 - 8/19	Integrity Digs 1-504 MLV 84- MLV 85 MP119.36, MLV 83 - MLV 84 MP 91.54, MP99.12, MP102.73	185-MMcf/d	500-MMcf/d	High	High
Sept 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Delhi Southbound (LOC #1379345)				
9/1 - 9/2	0-501 Pipe Replacement MLV 14- 16	385-MMcf/d	863-MMcf/d	High	High
	Cottage Grove Southbound (LOC #505614)				
9/1 - 9/30	Cottage Grove CS Automation Upgrade TSA	296-MMcf/d	977-MMcf/d	High	High
	Willow Run (TO MICHCON) (LOC #42078)				
9/15 - 9/21	0-501 Defiance CS to Willow Run MS ILI	275-MMcf/d	500-MMcf/d	High	High
Oct 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Brownsville Southbound (LOC #1260569)				
TBD (1 day)	Brownsville CS UNIT 9 Maj EQP ATK Filtr Insp/Rep 1Y	239-MMcf/d	988-MMcf/d	High	High
	Cottage Grove Southbound (LOC #505614)				

10/1 - 10/27	Cottage Grove CS Automation Upgrade TSA	296-MMcf/d	977-MMcf/d	High	High
TBD (1 day)	Madisonville CS UNIT 9 Maj EQP ATK Fltr Insp/Rep 1Y	183-MMcf/d	1,094-MMcf/d	High	High
TBD (1 day)	Celestine CS UNIT 9 Maj EQP ATK Fltr Insp/Rep 1Y	158-MMcf/d	1,075-MMcf/d	High	High
TBD (1 day)	Celestine CS UNIT 10 Maj EQP ATK Fltr Insp/Rep 1Y	158-MMcf/d	1,075-MMcf/d	High	High
Nov 2025	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Jena Southbound (LOC #9505489)				
11/6	Jena CS Unit 109 Solar Mars Insp/Main 8K2Y	145-MMcf/d	1,162-MMcf/d	High	High
	Cottage Grove Southbound (LOC #505614)				
TBD (1 day)	Celestine CS UNIT 9 Solar Mars Insp/Maint S 8K2Y	158-MMcf/d	1,075-MMcf/d	High	High
	Shelbyville Southbound (LOC #9505527)				
TBD (15 days)	Shelbyville CS Network Monitor Upgrade	332-MMcf/d	709-MMcf/d	High	High
	Defiance Southbound (LOC #226637)				
TBD (15 days)	Shelbyville CS Network Monitor Upgrade	180-MMcf/d	709-MMcf/d	High	High
Posted throughput is subject to change based on weather conditions and the condition of the pipeline. Outage dates and impacts are based upon currently available information and are subject to change.					